


T7S-R1W. 2nd Mer.



Mander 166

T1S-R2W. 2nd Mer

169	170	170	170	170	170	170	170	170	170	170	170
6	5	4	3	2	1						
189	179	184	184	183	174						
7	8	9	10	11	12						
185	184	184	184	181	181						
18	17	16	15	14	13						
185	185	185	187	187	187						
19	20	21	22	23	24						
187	186	186	186	186	186						
30	29	28	27	26	25						
188	188	188	188	187	181						
31	32	33	34	35	36						
174	174	173	173	173	173	210					

Township No 1 South of Range No 2 West 2nd Mer. Ind. 2.

North Boundary	
West	On Base line Range 2 from post corner to Sec. 31, 36 1.06 on corner to Towns 141, 141
40.00	Set post corner to quarter Sec. from which a Sugar tree 8 in. diam. bears S 60 E 15 lks dist., and a Beech 8 in diam. bears N 60 W 5 lks dist.,
80.00	To post corner to Sec. 36 & 35. 2 & 1. Marked for quarter Sec. post; altered it to post corner to Sec. 36 & 35; 2 & 1
West	On Base line from the above post
40.00	Set quarter Sec. post. A W. Oak 20 in. diam. bears S 74 W 8 lks. dist. and a Beech 20 in. diam. bears N 74 E 34 lks dist.
80.00	To post marked right (viz) 35, 34 & 3, 2 For the remainder of the Base Line on the North Boundary of the Township see the South Boundary of T. N. 1 N. R. N. 2 W.
<p>Corner of Towns 1 N & 1 S. Range 2 & 3 W. on Base line from which a Beech 20 in. diam. bears N 19 1/2 W 48 lks. dist. & a Beech 12 " " " N 75 E 12 " "</p> <p>This mile steep hill land stony, timber, Beech, Poplar Lum, Ash etc.</p>	
East	On the Base line South boundary of Sec. 31, T. 1 N. R. 2 W.
12.82	a Sugar tree 12 in. diam.
28.40	a Do 12 " "
40.00	Set the q. Sec. post from which a Beech 18 in. diam. bears N 72 W 29 lks. dist. & a W. Oak 18 " " " S 3 E 26 " "
41.40	a Brook 3 lks. wide cr. N. deep gully
43.22	a Beech 24 in. diam. /
54.90	a Brook 4 lks. wide cr. N. W.
62.65	a Do 6 " " " N. W.
75.40	high ledge of rocks
80.00	Set a post cor. to Sec. 31 & 32, T. 1 N. R. 2 W. from which

T1S-1R2W. 2^d. Mer. Indiana

a Beech 22 in. dia. beam S 3 E 7 lks. dist. 7
 a Do 20 " " " N 70 E 35 " "
 This mile steep hills, mostly Beech timber, Soil stony
 with fine limestone.

East On Base line S. boundary of Sec. 32, T1S. 1R2W
 12.75 a Poplar 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a Sugar 12 in. dia. beam N 10 W 17 lks. dist. 7
 a Dogwood 7 " " " S 12 W 30 " "
 61.40 a Beech 14 in. dia.
 80.00 Set a post Cor. of Sec. 32 & 33, T1S. 1R2W, from which
 a " " " " " " " " " " " "
 This mile hilly land, timber mostly Beech
 Some Oak & Plum Soil stony.

East On Base line S. boundary Sec. 33, T1S. 1R2W
 18.65 a P. Oak 30 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 24 in. dia. beam S 45 E 49 lks. dist. 7
 a Do 9 " " " " N 46 E 16 " "
 61.20 a W. Oak 26 in. dia.
 80.00 Set a post Cor. to Sec. 33 & 34, T1S. 1R2W, from which
 an Ash 36 in. dia. beam N 25 E 10 lks. dist. 7
 a Beech 9 " " " " S 32 W 25 " "
 1st 1/2 mile very brushy & many Piers, but little
 large timber - last 1/2 ridge land thin Soil, timber
 mostly Oak.

East On Base line S. boundary of Sec. 34, T1S. 1R2W
 9.45 a P. Oak 22 in. dia.
 38.24 a Beech 12 in. dia.
 40.00 Set the q. Sec. post, from which
 a P. Oak 36 in. dia. beam S 30 W 4 lks. dist. 7
 a Sugar 13 " " " " N 52 E 80 " "
 For residue of N. boundary - See last page of this Township

T. N. 1 S. R. 1. 2 West 2nd Mer.

East Boundary

South	Between Ranges 10 & 2 Turns 101 Set 6 & 1
11.30	A Poplar 15 in ^d diam.
40.00	Set post; a Dogwood 7 in ^d diam. bears S 63 E 13 lks dist and a W Ash. 8 in ^d diam. bears N 74 W 21 lks dist.
49.08	A Buck 12 in ^d diam.
80.00	Set post corner to Sec 6, 1, 12, 7 a W Oak 8 in ^d diam. bears N 26 E. 17 lks dist; a Spanish Oak 20 in ^d diam. bears S 26 W 5.3 lks dist. Hilky clay & Oak principally 2 nd rate.
South	On Range line between 7 & 12
11.00	A Run 15 lks mid; small S 10 W.
22.01	A Buck 12 in ^d diam.
27.00	A Run 10 lks mid; Course W.
40.01	Set post A Sugar 7 in ^d diam. bears N 46 W 10 lks dist. a Sugar 7 in ^d diam. bears S 46 E 10 lks dist.
63.18	A Hickory 18 in ^d diam.
80.00	Set post corner to Sec 7, 12 13.18 a Poplar 3 feet diam. bears S 13 W 12 lks dist a Buck 7 in ^d diam. bears S 23 W 32 lks dist. Land and timber same as above
South	Between Sec 13 & 18 on Range line between ^{ranges} 1 & 2 & turns 102
56.00	A Hickory 18 in ^d diam.
40.00	Set post; a Buck 13 in ^d diam. bears North 36 lks dist. a Buck 30 in ^d diam. bears N 77 W 40 lks dist.
52.59	A Gum 12 in ^d diam.
80.00	Set post corner to Sec 13 & 24. a Buck 10 in ^d diam. bears S 45 W 7 lks dist. A Sec. 11 in ^d diam. bears N 50 W 28 lks dist. Hilky Granitic on the top Hickory Oak Dogwood &c 2 nd rate.
South	Between Sec 19 & 24 & Between ranges 1 & 2 and

T. N° 1 S. H. N° 2 W. 2nd Mer.

30.62	Forms 1 & 1 A Buck 18 in ^d diam.
40.00	Set post a Buck 6 in ^d diam. bears N 31 W 20 like dist; A Buck 40 in ^d diam. bears S 55 E 30 like dist. Land and timber same as above
South	On Range line between Ranges 1 and 2 Forms 1 & 1 Sections 25 & 30
37.00	Potoka 150 Course S 88 W
40.00	Soft Maple 8 in ^d diam. corner to quarter Section
66.00	The line; Set post corner to 30. and 25 sections a Buck 8 in ^d diam. bears N 23 W 6 like dist; Buck 8 in ^d diam. bears S 6 E 45 links dist Hilly Buck & Oak and to fifth land 2 nd rate.
South	On Eastern Boundary
65.63	Intersected Indian Boundary
66.00	Run 3 like side; Course N. E.
80.00	Set post corner of Sec ^s 25 & 36 T 1 S R 2 W from which a Buck 8 in ^d diam. bears N 61 W 28 like dist. a Buck 6 in ^d diam. bears S 66 W 16 like dist This mile hilly upland Sugar tree, Buck, ash and Poplar. Soil good.
South	On Eastern Boundary Sec 36. T 1 S. R 2 W
19.88	Poplar 16 in ^d diam.
31.25	A Run 4 like South course.
40.00	Set quarter set post from which a Buck 9 in ^d diam. bears S 46 E 5 like dist A Buck 25 in ^d diam. N 55 W 41 like dist
43.00	Stone quarry
56.47	Sugar tree 18 in ^d diam.
67.00	A Run 10 like West course
85.00	Set post corner of Forms 1 & 1; 2 & 2, Range 1 and 2 from which a Buck 10 in ^d diam. bears N 50 E 25 like dist and a Buck 21 in ^d diam. bears

T. No 4 S. R. N. 2 W. 2nd Mer.

Go W 29 lks dist This mile hilly land timber
Sugar tree, Buck, Oak Ash & Poplar; Soil good.

South Boundary

East Return Sect 36 & 1 T¹ & 2, R 2 South West

35.00 A Run 50 lks on the course S 85 W

40.00 To a W Oak 8 in² diam^r: corner to quarter Section

48.00 To post corner to Sect 36 & 1 on S. line from which a
Y. Oak 7 in² diam^r: bears S 51 E 5 links dist. and a
Y. Oak 8 in² diam^r: bears N 14 E 15 lks dist.

Hilly Buck land

Nov. 30th 18 04

For residue of S. boundary of Sec. 36, See page 212

West Return Sect 35 & 2 Return Town 1 and 2 S

10.00 Cross 80 lks on the course N.

40.00 A Buck 24 in² diam^r: corner to quarter Section

80.00 Set post corner to Sect 35, 34 & 3, 2 from which a
W. Oak 18 in² diam^r: bears N 77 W 10. A Sugar 8
inches diam^r: S 30 E. 22 links

Land and timber same as above

West Return Town 1 & 2 and South of Section 34.

40.00 Set quarter Section post. A Hickory 8 in² diam^r: bears
N 58 E. 20 lks dist. A Buck 8 in² diam^r: bears S 42 E
16 links dist

44.00 Cross 50 links course N.

80.00 Set post corner to Sect 33, 34, 34. from which a
Sugar 7 in² diam^r: bears N 66 E 30 lks and a Do
7 in² diam^r: bears S 64 W. 23 links

West Return Sect 33 and 4 On division line.

40.01 Set post, from which a Gum 8 in² diam^r: bears
S 16 E 13 lks dist. A Do 8 in² diam^r: bears N 78 W
16 lks dist

80.00 Set post corner to Sect 32, 33, & 4. 5 from which a
Y. Oak 7 in² diam^r: bears N 73 W 14 lks. A Do
20 in² diam^r: bears S 55 E 70 lks dist

T. N^o 4 S. R. N^o 2 W. 2nd Mer

	3 rd rate Oak &c
West	On division line South of Sec 32
40.00	Set post at Sugar 12 in ^d diam. bears N10W 17 like dist. and a Dogwood 7 in ^d diam. bears S12 N 30 like dist
80.00	Set post corner to Sec 32 & 3 from which a S. Elm 10 in ^d diam. bears S 84 W 17 like dist and a W. Oak 40 in ^d diam. bears N 20 E 44 like Hilly 3 rd rate; Oak &c
West	Between Section 31 in T. 1 and Sec 5 in T. 2
40.00	Marked quarter section post on a Gum 8 in ^d diam.
75.00	A Buck 10 in ^d diam.
81.00	Set post corner to Townships 1 & 2 in Range 3. Poor Buck and Oak hills
West	On Random line between T. 1 and 2 ^s R. 2 S. W.
11.00	Run 3 like course N. W.
31.00	Intersected Indian Boundary, fell south 79 like.
	Subdivisions
West	Between Sec 1 & 12
40.00	A Dogwood 5 in ^d diam. Corner to quarter Sec.
80.00	Over hilly heavy 3 rd rate lands to post corner to Sec 1, 2, 11, 12. Oak principally
South	Between Sec 11 & 12
13.50	A Buck 18 in ^d diam.
40.00	Set post on the bank of a creek 50 like wide course West from which a W. Walnut 7 in ^d diam. bears West 50 like and a Sperry Elm bears S 54 E 14 like
65.25	A Poplar 40 in ^d diam.
80.00	Set post corner to Sec 11, 12, 13, 14 a W. Oak 8 in ^d diam. bears S 31 E 15 like and a W. Oak 8

T^h N^o 9 L^h R. N^o 2 W. 2nd Mer

in^d diam^r: bears Mast 8 links Sand and timber as before

South Between Sect 13 & 14

37.5 A W. Oak 24 in^d diam^r:

40.00 Set post A Sugar 11 in^d diam^r: bears S 68 E 9 lks dist.
A Sugar 11 in^d diam^r: bears S 46 W. 27 lks dist.

62.82 A Sugar 08 in^d diam^r:

80.00 Set post corner to Sect 13, 14, 23, 24 A Sugar 12 in^d diam^r: bears N 73 E 21 lks dist. A Sugar 10 in^d diam^r: bears S 10 W 22 lks dist. Sand and timber as above

South Between 23 & 24

28.50 A Buck 30 in^d diam^r:

20.00 A Run 15 lks wide Course S 20 E

40.00 A W. ash 30 in^d diam^r: Corner to 19th quarter Section

59.13 A W. Oak 14 in^d diam^r:

65.00 A Run 20 lks wide Course S 30 E

70.52 A Putoka 15 lks wide Course N 78 W

80.00 Set post corner to Sect 23, 24, 25, 26 A Poplar 8 in^d diam^r: bears N 35 W 6 lks dist. A Do. 7 in^d diam^r: S 62 W 18 lks dist.

Sand and timber as above

South Between Sect 25 & 26

19.84 A Poplar 62 in^d diam^r:

40.00 Set post A Buck 18 in^d diam^r: bears N 44 W. 16 links dist. A Do. 11 in^d diam^r: S 76 E. 20 links dist.

56.52 A Gum 18 in^d diam^r:

65.00 A Run 13 lks wide Course West

80.00 Set post corner to Sect 25, 26, 35, 36. A Beech 10 in^d diam^r: S 15 E 35 lks dist. A Buck 20 in^d diam^r: N 88 E 17 lks dist.

Sand and water hilly. Buck Oak Poplar.

T. No 4 S. & R. No 2 W. 2nd Mer

South	Between Sect 35 & 36
21.50	A W Oak 17 in ² diam.
40.00	Set post; a Dogwood 6 in ² diam. bears N. 5 E 19 lks dist; a Poplar 7 in ² diam. bears S 48 W 19 lks dist.
51.60	A Sugar 15 in ² diam.
80.00	Set post corner to Sect 35, 36 & 1, 2 a Buck 20 in ² diam. bears N. 20 E 43 lks dist a Buck 8 in ² diam. bears S 36 W 11 lks dist First 1/2 mile hilly dry brushy & Oak 2 nd rate hills 2 nd half mile good soil Buck & hilly also.
South	Between Sect. 10 & 11
40.00	Set post, 2 nd No timber
80.00	Set post corner to Sect 10 11, 14, 15; a Buck 18 in ² diam. bears S 80 E 27 lks dist; a Sugar 7 in ² diam. bears N 44 W. 20 links; 2 nd rate timber Oak &c
South	Between Sect 14 & 15
6.00	A Run 50 lks mid course N 60 W
40.00	Set post a W. Oak 8 in ² diam. bears N 2 E 17 links dist a Gum 17 in ² diam. S 5 W. 28 lks dist
68.00	A Spanish Oak 24 in ² diam.
80.00	Set post corner to Sect 14, 15, 22, 23 a Gum 22 in ² diam. bears S 33 E 12 lks dist an Oak 16 in ² diam. bears N. 60 W 27 lks dist. Flat mid ex, dry brushy - Oak &c
South	Between Sect 22 & 23
32.25	a Buck 15 in ² diam.
40.00	a Dogwood 4 in ² diam. corner to quarter Sec
68.00	a W. Oak 14 in ² diam.
80.00	Set post corner to Sect 22 23, 26, 27, a Buck

	<p>10 int diam. bears N 70 E 13 lks dist. A 1 Buck 12 int diam. bears. S 84 W 6 lks dist. Sands and timber as before.</p>
<p>South 25.00 40.00 80.00</p>	<p>Peterson Sect. 26. and 27 A W. Oak 18 int diam. A Poplar 18 int diam. Corn in the quarter section Set post corner to Sect 26, 27, 34, 35. A 1 Buck 14 int diam. bears S 78 E 11 lks dist. A 10 9 int diam. bears. S 28 E. 5 lks dist. Sands, hills, 3rd rate - Oak & V. November 26. 1804</p>
<p>South 10.00 40.00 66.50 80.00</p>	<p>Peterson Sect. 34 & 35 To Patokan creek 2 ch. wide house west Set post. A Poplar 18 int diam. bears N 14 E 19 lks dist. A 1 Buck 8 int diam. bears S 14 W 35 lks dist. A 19 Oak 20 int diam. Set post corner to Sect. 34 & 35 3 & 2 On division line of Sect. 1 & 2; 3rd rate hills; 1 Buck Oak & V.</p>
<p>South 25.80 40.00 62.80 76.00 80.00</p>	<p>Peterson Sect 9 & 10 A 1 Buck 12 int diam. Set post; A 10 8 int diam. bears S 62 W 5 lks dist. 1 Buck 6 int diam. bears S 38 E 8 lks dist. A 10 12 int diam. A 10 50 lks wide, house west Set post corner to Sect. 9, 10, 15, 16. A 1 Buck 8 int diam. bears S 27 E 19 lks dist. An Elm 10 int diam. N. 18 W. 36 lks dist. Flat ridges 2nd rate; Timber same as above.</p>
<p>South 18.06 40.00</p>	<p>Peterson 15 & 16 A W. Oak 24 int diam. Set post; A 1 Buck 18 int diam. S 31 E 31 lks dist.</p>

T. N^o 1 S. R. N^o 2 W 2nd Me

59.80 a W Oak 20 in^d diam^r. bears N. 57 W 43 lbs dist
 80.00 a Gum 18 in^d diam^r.
 Set post corner to Sect. 15, 16, 21, 22. a Buck
 11 in^d diam^r. bears S 88 W. 25 lbs dist a Buck
 14 " " " S 20 W 19 " "
 Land and timber as above
 November 27 1804

South Return Sect. 21 & 22
 12.75 a W Oak 24 in^d diam^r.
 40.00 Set post corner to quarter section. A Buck 7 in^d
 diam^r. bears S 23 E 8 lbs dist and a Buck 10
 in^d diam^r. bears N 23 E 27 lbs dist.
 61.00 A Poplar 4 feet in diam^r.
 80.00 Set post corner to Sect 21, 22, 27, 28 a W Oak
 14 in^d diam^r. for corner tree.
 Land and timber as above

South Return Sect 27 & 28
 1.00 Patoka Creek 1 ch^m mile Course W.
 29.20 A Poplar 20 in^d diam^r.
 40.00 Set quarter sec. post a Gum 18 in^d diam^r.
 bears S 19 W 13 lbs dist, a Buck 98 in^d diam^r.
 bears S 87 E 13 lbs dist

66.08 a Buck 18 in^d diam^r.
 80.00 Set post corner to Sect. 27, 28, 33, 34. a Buck
 12 in^d diam^r. bears S 2 E 12 lbs dist a 180
 22 in^d diam^r. bears N 45 W 31 lbs dist
 Land first half mile low 7 Buck lands 2nd &
 half Patoka flats; low cold land - Buck timber

South Return 33 & 34
 0.70 Patoka Creek. The line just cutting the bend.
 Course N 32 E
 31.75 a Gum 6 in^d diam^r.

T. N^o 1 G. H. N^o 2 W 2nd Mer.

40.00	Set post corner to quarter sec. A Shagbark Hickory 30 in ^t diam ^r . bears N 48 E 36 lks dist. and a W. Oak 7 in ^t diam ^r . bears S 65 W 30 lks dist.
67.30	A W. Oak 14 in ^t diam ^r .
80.00	To post corner to Sect 33, 34 & 3. 4 On division line between Towns 1 & 2 First 1/2 mile flat ridged. 2 nd half hilly and 3 rd rate poor Oak. principally.
South	Between Sect 4 & 5
18.00	A Sugar 12 in ^t diam ^r .
40.00	Set post; A Buck 18 in ^t diam ^r . bears N 49 E 13 lks. dist; Do 20 in " " S 34 W 27 lks dist
68.00	A W. Oak 18 in ^t diam ^r .
80.00	A Buck 11 in ^t diam ^r . Corner to Sect. 4, 5, 8, 9 Flat ridged; 3 rd rate Oak, 1 Buck, &c For line between Sect 5 & 6 see end of Township
West	Between Sect 4 & 9
40.15	Set post Sugar 14 in ^t diam ^r . bears N 68 E 36 lks dist. Do. 8 in ^t diam ^r . bears N 89 W 20 lks dist
80.30	Over flat ridged Sugar, Buck, Oak, to post corner Sect 4, 5, 8, 9 Nov. 28 th 1804
South	Between Sect 8, & 9
20.74	A. W. Oak 8 in ^t diam ^r .
40.00	Set post A Buck 14 in ^t diam ^r . bears N. 60 E 17 lks dist. A Buck 11 in ^t diam ^r . bears S 35 W 45 lks dist.
69.74	A Hickory 14 in ^t diam ^r .
80.00	Set post corner to Sect 8, 9, 16, 17 A Buck 8 in ^t diam ^r . bears S 30 E. 15 lks dist A Do 8 in ^t diam ^r . bears N 6 W 34 lks dist. Flat ridged, good soil, Fint? Oak, 1 Buck &c

T. No 4 G. R. No 3 W. 2nd Mer

South	Between Sect 7 & 8
10.55	a W. Oak 30 in ² diam.
40.00	a Buck 7 in ² diam. Corn to quarter Sec.
64.50	a Poplar 3 feet diam.
80.00	Set post corner to Sect 7, 8, 17, 18 a Buck 11 in ² diam. bears N 26 E 39 lks dist and a W. Walnut 18 in ² diam. bears S 57 W 14 lks dist. Sand and timber as above.
South	Between Sect 17 & 18
32.12	a Buck 12 in ² diam.
38.00	a Run 15 lks wide; corner S 45 W
40.00	a Buck 7 in ² diam. Corn to quarter Sec.
48.62	a Buck 10 in ² diam.
80.00	Set post corner to Sect. 17, 18, 19, 20 a Sugar 10 in ² diam. bears N 35 W 33 lks dist a Bas Pardo Buck 8 in ² diam. bears S 55 E 43 lks dist. 1 st 1/2 mile flat ridges; 2 nd half creek flats Oak, 1 Buck & c.
South	Between Sect 20 & 21
29.40	a Sugar 10 in ² diam.
40.00	a Buck 8 in ² diam. Corn to quarter Sec.
53.50	a Soft Maple 18 in ² diam.
62.00	Potoka Cr. 150 lks wide. Corner N 60 W
81.00	Set post corner to Sect 20, 21, 28, 29 a W. Oak 12 in ² diam. bears N. 8 W 24 lks dist a Buck 8 in ² diam. bears N 38 W 24 lks dist. Flat ridges 3 rd rate chiefly Oak.
South	Between Sect 28 & 29
34.61	a W. Oak 12 in ² diam.
40.00	a Buck 7 in ² diam. Corn to quarter Sec.
39.45	a Sugar 14 in ² diam.
80.00	Set post corner to Sect 28, 29, 32, 33 a Buck 12 in ² diam. Corner tree Hills 3 rd rate

Because of similarity
for line bet 16 & 17

Oak, Buck &c.

South Between Sect 32 & 33
29.72 At Oak 13 in diam.
40.00 Set post. At Hickory 7 in diam. bears S 16 W.
22 lks dist. a W. Oak 20 in diam. bears N 55 W.
45 lks dist.
69.80 At Oak 24 in diam.
80.12 To post corner of sect 32 & 33 on Division line
Lands and timber same as above

West Between 12 & 13
40.00 Set post a Sugar 18 in diam. bears N 28 E 30
links dist. a Buck 7 in diam. bears N 30 W 32
links dist.
80.00 To post corner to Sect 11, 12, 13, 14
Atty, Spring &c. Oak Logwood &c.

West Between Sect 11 & 14
40.00 At Buck 20 in diam. Corner to quarter Section
62.00 Corals 45 lks wide. Course S 70 W.
80.00 To post corner to Sect 10, 11, 14, 15
Lands and timber same

East From post corner to Sect 25, 26, 35, 36 Between
25 & 36
40.00 Set quarter set post. a Sugar 7 in diam. bears
S 50 E 7 lks dist; a Buck 7 in diam. bears
N 48 W 10 lks dist
75.00 To post corner of Sect 25 & 36 on F. line from
which a W. Oak 29 in diam. bears S 1 E 15 lks
dist. and a W. Oak 30 in diam. bears N 81 W 40
lks Lands and timber same.

On ^{and} from line S 18 P N from post corner to Sect 30
in Range 1 and Sect 25 in Range 2 South of

* West Between Sect 25 & 36, S 2 S. R. 2 W.
4.88 Intersected Indian boundary at post
S. Oak &c. same as last (While)

T. N^o 1 G. R. N^o 2 Off. ynde Mus.

15.00	Base line To first corner to Sect 25 & 36
83.60	On Fram. line from the above post S 18 1/2 W To first corner to Ex. 2 Towns lands 2 in Range 2 2 South of the Base line
South	Between Sect 19 & 20.
3.58	Potoku bearing West
40.00	Marked p. Sect. post on Back 8 in ^t diam ^r .
80.00	Set post from which a W. Oak 12 in ^t diam ^r . bears S 32 1/2 W 14 lks dist. and a Dogwood 6 in ^t diam ^r . bears S 53 W 24 lks dist. Back of Oak ridge.
South	Between Sect 29 & 30.
10.02	A B. Oak 10 in ^t diam ^r .
40.00	Set post corner to quarter Sect from which a Back 10 in ^t diam ^r . bears S 4 W 30 lks dist and a Dogwood 6 in ^t diam ^r . bears N 1/2 E 40 lks dist. cont.
44.00	A Back 10 in ^t diam ^r .
80.00	To a Gum 24 in ^t diam ^r . Corner to Sect 29 & 30 31. 32 3 rd rate Back and Oak hills
South	Between Sect 31 & 32
26.00	A Sugar 10 in ^t diam ^r .
30.00	A B. 10 10 lks wide course West.
45.00	Set quarter Sect post from which a Maple 12 in ^t diam ^r . bears S 81 W 25 lks 25 lks dist and a Maple 10 in ^t diam ^r . bears N 8 W 9 lks
60.50	A Red Oak 24 in ^t diam ^r .
80.00	Set post corner to 5, 6, 31 & 32 2 nd and 3 rd rate hill lands. Oak & Gayatrie
South	Between Sect 1 & 2

T. No 1 of R. N. D. W. and Co. Mer.

30 37	at Red Oak 17 in ² diam.
40 00	Get quarter Sec. post from which a Sugar tree 9 in ² diam. bears S 67 N 16 lbs dist; and a Buck 8 in ² diam. bears S 49 E 8 lbs dist;
49 00	a Maple 48 in ² diam.
80 00	Post corn to Sec. 1, 2, 11, 12, from which a W. Oak 12 in ² diam. bears N 45 E 9 lbs dist and a Buck 24 inches diam. bears S 2 E 25 lbs dist. Indicate Oak & dogwood hills.
South	Between Sec 2 & 3
30 00	A poplar 48 in ² diam.
40 00	Get quarter Sec. post from which a Sugar tree 9 in ² diam. bears S 49 E 8 lbs distant and a Buck 8 in ² diam. S 67 N 16 lbs dist.
49 70	A poplar 48 in ² diam.
80 00	Post corn to Sec. 2, 3, 10, 11 from which a W. Oak 12 in ² diam. bears N 28 E 4 lbs dist and a W Oak 24 in ² diam. bears S 68 W 22 lbs dist. Thickest full lands (Buck Oak Poplar
South	Between Sec 3 & 4
10 07	a Buck 18 in ² diam.
40 00	Get a quarter Sec. post from which a B. Oak 48 in ² diam. bears S 67 E. 18 lbs dist and a W Oak 18 in ² diam. bears N 38 E 26 lbs dist
47 00	a W Oak 20 in ² diam.
80 00	Get post corn to Sec. 3, 4, 9, 10, from which a W. Oak 14 in ² diam. bears S 68 E 9 lbs distant and a W Oak 18 in ² diam. bears S 38 E 26 lbs distant. Indicate Oak and Dogwood hills land
West	Between Sec 2 & 11
11 02	A Oak 20 lbs wide corner South.
40 00	Get quarter Sec. post from which a W. Oak 12 in ² diam. bears N 28 E 14 lbs dist and a W Oak 24 in ²

T. No 1 S. R. No 2 N 2nd Mer

80.00	bears N 68 W 22 lbs West post corner to Sec 2, 3, 10, 11 2nd rate Oak Buck and Poplar hills
West	Between Sec 3 & 10
40.00	Set quarter Sec post on a Sugar tree 16 in diam.
80.00	West post corner to Sec 3, 4, 9, 10 Flat hill 3rd rate Oak and Logwood timber
West	Between Sec 5 & 8
40.00	Set quarter Sec post from which a Buck 36 in diam. bears S 20 E 30 lbs dist and a Buck 16 in diam. bears N 65 E 20 miles distant
80.00	West the post cor to Sec 5, 6, 7, 8; 3rd rate Oak & Logwood hills. See for line between Sec 6 & 7 end of Township
West	Between 10 & 15
40.00	Set quarter Sec post from which a Buck 14 in diam. bears N 89 E 38 lbs dist and a Buck 24 in diam. bears S 38 E 20 lbs dist
63.00	A Creek 50 lbs course North.
80.00	West post cor. to Sec 9, 10, 15, 16 West points and Buck Creek bottom
West	Between 9 & 16
120.00	Line run the above creek 3 ch. and crossed it
40.00	Set quarter Sec post from which a Sugar tree 12 in diam. bears N 70 E 10 lbs and a Sugar tree 11 in diam. bears N 60 E 12 lbs
80.00	West post corner to Sec 8, 9, 16, 17 Buck and Oak upland 2nd rate
West	Between Sec 8, 17
40.00	Set quarter Sec post from which a Buck bears N 70 E 10 lbs dist and a Buck 11 in diam. 26 miles dist

T. N. 1 S. R. N. 2 M. 2nd Mer.

80.00	West post corner to Sect 7, 8, 17, 18. Low Buck hills - good soil.
West	Between Sect 7 & 18
40.00	Set quarter Sec. post from which a Buck 11 in ² diam ^r bears N 40 E 7 lks dist and a Buck 9 in ² diam ^r bears N 5 E 18 lks dist
80.00	Full 150 South of Bartus State and cornered on a Buck 12 in ² diam ^r . Ind. rate hills lands Buck, Oak &c.
West	Between Sect 16 and 21
40.00	Set quarter Sec. post from which a Buck 10 in ² diam ^r bears N 71 W 15 lks dist and a Sagatua 10 in ² diam ^r bears S 60 W. 7 lks. dist
80.00	West post corner to Sect 16, 17, 20, 21. Flat hills Ind. rate.
West	Between Sect 17 & 20.
30.00	Creek 50 lks wide S 45 W
40.00	Set quarter Sec. post from which a Buck 10 in ² diam ^r bears N 2 E 27 lks dist. and a Buck 10 in ² diam ^r bears S 89 E 53 lks dist
80.00	West post corner to Sect 17, 18, 19, 20 Patoka Flats and Ind. rate hills.
West	Between Sect 18, & 19
11.00	Patoka Creek 90 lks wide Course N.
40.00	Set quarter Sec. post from which a Buck 36 in ² diam ^r bears S 3 E 24 lks dist and a Buck 9 in ² diam ^r bears S 70 E 32 lks dist
80.00	West post on Barbashine corner to Sect 13 and 24 in Range 3 T. 1. Ind. rate Patoka flats Timber Buck and Oak.

T. N. 1 S. R. N. 2 off 2nd Mer

West	Between Sect 24 & 25
11.00	Crossed Patoka Creek Course N.
40.00	Marked quarter Sec. post on a Buck 12 in. diam.
42.00	Crossed Patoka again Course South
74.15	Crossed it again Course North
80.00	Met post corner to Sect 23, 24, 25, 26. Buck hills and creek Bottom.
West	Between Sect 23 and 26.
15.00	Patoka Creek Course South.
40.00	Set quarter Sec. post from which a Buck 12 in. diam. bears N. 50 W. 18 lks and a Buck 12 in. diam. bears S 15 W. 29 links distant.
80.00	Met post corner to Sect 22, 23, 26, 27 Creek bottom and Oak hills
West	Between Sect 22 and 27.
40.00	Set a quarter Sec. post from which a Buck 9 in. diam. bears S 18 E 13 links distant and a Buck 9 in. diam. bears S 32 W 7 lks dist.
75.00	Cut a bundle in Patoka
80.00	Met post corner to Sections 21, 22, 27, 28 That Buck points; 2nd rate land.
West	Between Sect 21 & 28
40.00	Set post corner to quarter Sec. from which a Buck 14 in. diam. bears N 20 E 8 links distant and a Buck 12 in. diam. bears S 45 E 22 links distant.
66.00	Patoka 150 lks wide Course N. W.
80.00	Met post corner to Sect 21, 22, 27, 28 2nd rate Buck Bottom
West	Between Sect 20 & 29
40.10	Marked quarter Section on a Buck 12 in. diam.
80.20	To post corner of Sect 19, 20, 29, 30
80.00	Met post, corner to Sections 19, 20, 29, 30

3rd rate Oak Buck and Poplar lands.

Mast
40.00 Between Sect 19 & 30
Set quarter Sec post from which a Buck 10 in
diam. bears S 10 E 24 links dist and a Buck
80.26 40 in diam. bears N 80 W 20 links distant
West post on Burbrush corner to Sect 24 and
25 in T. T. Range 3. Strip hills Oak & Buck &
Logwood.

Mast
40.00 Between Sect 13 & 24
Marked quarter Sec post on a Buck 10 in diam.
80.00 West post corner to Sect 13, 14, 23, 24
3rd rate hilly Timber Buck Oak Gum &c

Mast
40.00 Between Sect 14 & 23
Set post quarter Section from which a Buck 12
in diam. bears N 47 W 14 links and a Buck 11
in diam. bears N 47 E. 15 links dist
80.00 West post corner to Sect 15, 14, 23, 22 3rd rate hill lands
O. and W. Oak, 1 Buck and Hickory &c

Mast
40.00 Between Sect 15 and 22
Set quarter Sec post from which a Buck 12 in
diam. bears S 53 W 27 links and a Buck 8 in
diam. bears S 18 W 29 links distant
80.00 West post corner to Sect 15, 16, 21, 22
2nd and 3rd rate Buck Oak and Logwood hills

Mast
40.00 Between Sect 26 and 35
Set quarter Sec post from which a Buck 12 in diam.
bears N. 88 W. 12 links dist and a Buck 16 in diam.
bears S 67 E. 33 links dist
47.50 Struck Patoka Creek Course S. W.
80.00 West post corner to Sect 26, 27, 34, 35 3/4 creek
bottom - 1 Buck timber

T. I. S. N. 2 W. 2nd Sec. Mo.

West	Between Sect. 27 & 34
12.00	Crossed Patoka Creek 15 links wide, Course NW.
40.00	Set quarter Sec post from which a Beech 12 in ^d diam. bears N 86 E. 27 links dist. and a Beech 9 in ^d diam. bears N 33 E. 12 links
66.20	A Creek 40 links wide, bearing North.
68.50	Patoka bearing S.W.
78.00	Patoka bearing N.W.
80.00	Struck post corner to Sect. 27, 28, 33, 34 Patoka bottoms; Thin soil Beech timber.
West	Between 28 and 33.
40.00	Marked the quarter Section on a Beech 11 in ^d diam.
80.00	Set post corner to Sect. 28, 29, 32, 33 Patoka flats Thin Oak lands.
West	Between Sect. 29 & 32
40.00	Set a quarter Sec post from which a Maple 12 in ^d diam. bears S 86 W. 25 links dist. and a Maple 10 in ^d diam. bears N 84 W 9 links dist.
80.00	Set post corner to Sect. 29, 30, 31, 32. Poor hill lands Timber Oak, and Beech.
West	Between Sect. 30 & 31
40.00	Marked quarter Sec post on a Beech 10 in ^d diam.
80.39	Set post on Partus line corner to Sect. 36 and 25, in Range 3. Beech and Oak hills 2 nd and 3 rd rates
West	Between Sect. 25 & 36 T ² S. Range 2
4.88	Antisected Indian Boundary at post Oak and timber as above
South	Between Sect. 16 & 17
27.41	NW Oak 24 in ^d diam.
40.00	Set post from which a Beech 7 in ^d diam. bears N 34 W 29 links dist; to a " " " " " " " " S 25 E

21 links distant
 72.76 A Poplar 5 ft. diam.
 60.50 a Run 50 links mile; Corner S45 W
 80.00 Set post at Buck 8 in. diam. bears N 28 W 9 links dist.
 and a No 8 " " S 48 E 18 " "
 Flat ridged; Oak Buck &c.

West Between Sec. 6 & 7
 40.00 Set quarter Sec. post; from which a Sugar tree 18 in.
 diam. bears N 38 E. 18 links dist; & a Buck 15 "
 " " S 48 E. 25 " "
 80.00 Set post on Barber line corner to 1 & 12 in Range 3
 3rd rate hill land; Timber Oak & Logwood.

South Between Sec. 5 & 6
 18.00 A Sugar 9 in. diam.
 40.00 Set post; at Oak 20 in. diam. bears N 17 E 35
 links dist; & a No 8 " " S 17 W 22
 " "
 50.00 Sugar tree 12 in. diam.
 80.00 Set post corner to Sec. 5, 6, 7, 8; A Sugar 10 in. diam.
 bears N 17 E. 20 links dist; & a Buck 11 in. diam. bears
 S 18 W 39 links dist; Wellby 3rd rate; Timber Oak,
 Buck &c.

Surveyed by
 M. Benton, Tupper & Stone

I certify that the foregoing transcript of the field
 notes of Township N. 1 South of Range N. 3
 West of the 2nd Mer. Indiana, has been compared
 with the Original notes in this Office, and found to be
 correct.

Surveyor General's Office,
 Cincinnati, Aug. 15. 1839

J. S. Rains
 Surveyor General

T. S. R. 2 W. 2ⁿ. Mer. Indiana

63.50 a Brook 6 lks. wide cr. S.E.

68.30 a Gum 16 in. diam.

80.00 Set a post Cor. to Sec. 34 & 35, T. S. R. 2 W. from which
a Beech 15 in. diam. bears N 7 E 14 lks. dist. &
a Do 7 " " " S 9 W 11 " "This mile ridge land, timber Beech, Poplar & Sugar tree
Soil (muddling Woods) Open.

East On Baseline S. boundary of Sec. 35, T. S. R. 2 W

40.00 Set the q. Sec. post, from which

a Beech 18 in. diam. bears N 23 E 42 lks. dist. &

a Do 10 " " " S 23 W 25 " "

45.40 a B. Oak 24 in. diam.

51.66 a Poplar 40 in. diam.

79.13 a W. Ash 16 in. diam.

80.00 Set a post Cor. to Sec. 35 & 36, T. S. R. 2 W. from which
a Beech 8 in. diam. bears S 43 W 9 lks. dist. &
a Do 13 " " " N 30 E 11 " "

This mile some broken, middling soil mostly back timber

East On Baseline, South boundary Sec 36, T. S. R. 2 W

7.90 a Brook 8 lks. wide cr. S 20 E

16.40 a Spring cr. S. W.

23.44 a White Oak 24 in. diam.

40.00 Set the q. Sec. post, from which

a Beech 10 in. diam. bears N 40 E 30 lks. dist. &

a Do 9 " " " S 63 W 20 " "

64.06 a Beech 14 in. diam.

74.40 a remarkable Cave mouth about 30 ft. diam. descends
perpendicular about 40 ft. then continues S.E. about 6 rods
& out at the side of a hill.80.00 Set a post Cor. to Towns 1 S & 1 N. Range 1 & 2 W. from which
a Beech 13 in. diam. bears N 35 W 16 lks. dist. &

a Do 20 " " " S 30 E 38 " "

This mile ridge land timber Oak, Poplar & Ash, soil good, indg. ^{the} Spice
Surveyed in Oct. 1864 by E. Buckingham D. S.